

MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

APPLICATION OF THE PROPERTY OF		וונג 🗆	DEEPE	N 🗆 PLU	JG BACK	5	FOR AN OIL		OR GAS WELL	
		RS DRI	LLIN	G Co. , Z	vc.			11/20/	96	
Box 551 - DESCRIPTION	BOONE	WBERR	Y ST.		ERICK	TOW	N	Mo	63645	
HONSINGER				DEVELOP	MENTAL #	-14	SUPPLEMENTAL)	ELEVATION (GROUND)	(7080)	
	28	50 FT.	rnom (N)	SECTION LINE	2150		T FROM (E)	ECTION LINE		
ALTICATION		SECTION		TOWNSHIP		RANGE		COUNTY		
NE/4	E LUON BBO	_5	71011 70 5	43N	,	330		CA55		
DISTANCE FROM P	ROPOSED LO	CATION TO N	EAREST D	ROPERTY OR LEASI RILLING, COMPLET	ED OR APPLIE	D - FOI	R WELL ON THE S	AMELEASE 35	3,35	
		DUMILING CON	INACION, NA	ME AND ADDRESS	INC.	ROTARY		PPROX DATE WORK W	ILI STADI	
300	1241	Box 55/	FRED	ERICKTOWN	MO 63645		4Ry (AIR)	ON PERM	117	
192.92		NUMBER OF	WELLS ON	N LEASE, INCLUDÍN NED WELLS ON LEA	O THIS WELL.	COMPLE	TED'IN OR DRILL	ING TO THIS RESE	nvoin 14	
	ED WITH ON	E OR MORE W	ELLS DRIL	LED, FROM WHOM	PUNCHASED?		<del>-</del> 1.	10.05.05.10	5	
HAME				NA	NA			NO OF WELLS: PRODUCING 5		
ADDRESS				- /					INACTIVE 5	
		SING	E WELL			T N D	LANKET BON	ABANDONED 3		
STATUS OF	BOND	AMOL					LANKET BONI MOUNT \$ 20,		ON FILE ATTACHED	
PROPOSED CASI		AM		N/A	APPROVED	CASIN	IG - TO BE FIL	LED IN BY STA	TE GEOLOGIST	
50'	SIZE		WI/FT	CEM.	AMOUN	T	SIZE	WT/FT	CEM.	
TD TO SURFACE	41/211		5 LB.	TO SURF.	50'		7"	19.51B	TO SURFACE	
21224147112	1/1	701	5 0.	70 SURF.	300		4/2	10.5 18.	TD YO SURFACE	
11										
the undersigne						c	of the PENSE	BROS. DRIG	. Co., INC.	
and direction and	that I am a	otherized by	y said co	mpany to make	this report, i	and the	it this report wi	as prepared und	der my supervision	
TO THAT LUMB	PENSE	Bros. D	RLG. C	e true, correct, a	and complet	le to the		lowledge.	196 (ORIGINAL)	
Zy:	BB	Blance	od-	7			0,	,	191	
FRUIT HIIÚNEA	2 . /	0 /		Duille.	T'S LOG REQU	IRED	Ø E-LO	DOS NEQUINED IF	140	
ALVERTAN TALL	200	26		CORE A	NALYSIS REO				O DECTRUE DE LE BON	
	9-10-	-96			S REQUIRED		and the same of th	CEI		
CLUCALL DA					SAMPLES REC		LT.		1000	
NOTE > IHIS	PERMIT NOT	TOANGEEDA	11570.11					NOV 26	1990	
	PERMIT BY	THE OIL AND	GAS COL	Y OTHER PERSON O UNCIL DOES NOT O THE PERMITTEE	CONSTITUTE I	HER LOC	EMENT OF THE	309184G	is Councile	
				of the					Company conting	
n this form by p	d drilling p resence of	ermit has t a permit,nu	mber and	ained by the ov disignature of au	vner of this thorized cou	well. ( uncil re	presentative.	val of this perm	nit will be shown	
THE STORY THINK							DA	I E		
`AO (1211 (2 AA)		REMIT TWO	COPIES TO:	MISSOURI OIL AND	GAS COLINCII	PO BOY	250 BOLLA NO 45	401		



MISSOURI DEPARTMENT OF NATURAL RESQUECES

Form OGC-5

MISSOURI OIL AND GAS COUNCIL DEC 0 3 1996
WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

NEW WELL W	ORKOVER   DEEPEN	☐ PLUG BACK ☐	INJECTION	□ SAMÉ F	ies AQ	Di &	aas hesenv	BIRIT	DIL GAS DRY	
PENSE BR	OS. DRLG	. Co. INC	· .	BOX S	551,	FRED	ERICKT	OU	V, MO 63645	
HONSING	ER	ACTIVITY OF	36 16	#	14		157 5/2			
LOCATION	5012113	LOG MILS	CHEER LOGINILS				CK AND SURVEY			
NE/4	PERMIT NU	JMBER (OGC-3 <del>GR OGC-311-</del>								
CASS		0626	E HIL							
9/10/96	DATE TOTA	DEPTH BEACHED D	ATE COMPLE RODUCE OR	TED READY TO	FEET 960	F. RKR. RT. OR G.	TOPO FLANGE 961.5 FEET			
TOTAL DEPTH	PLUG BACK	TOTAL DEPTH								
300'	ION INTERVAL(S) FOR THIS		//A	ROTARY TOO	OLS USED	(INTERVAL)		CABLE	TOOLS USED (INTERVAL)	
140 70 252	2254 - 259	/		ROTARY TOOLS USED (INTERVAL)  TO TO  TO TO TO TO TO TO TO TO TO TO TO TO TO T				- N/A		
WAS THIS WELL DIRECT	IONALLY WAS DIRECT	TIONAL SURVEY MADE?	WAS COPY OF DIRECTIONAL SURVEY FILED?				DATE FILED			
DRILLED? NO		No			/	VIA		NA		
TYPE OF ELECTRICAL O	ROTHER LOGS RUN (LIST	LOGS FILED WITH THE ST	ATE GEOLOG	SIST)	/			DATE FILED		
LITHOLOGY	LOG & GX	MMA-KAY/	VEUT	RON L	06			11/	127/96	
CACINIC (DEDORT AL	L CTRINGS SET IN WEI	I CONDUCTOR SUB		RECORD	PRODUK	CING ETC.				
PURPOSE	L STRINGS SET IN WEL	SIZE CASING SET		T (LB. FT)		PTH SET	SACKS CE	MENT	AMOUNT PULLED	
7 0111 000	5/"	//	1	. (25.1.1)						
SURFACE CASING	8/8	7" 19.3		5 LBS	TLBS 5006".			5 N14		
Production Co.	6/4	4/2	10.	5 LBS 2		91' 40			NIL	
	TUBING RECO	RD					INER RECORD	)		
SIZE 3/"	DEPTH SET PAG	CKER SET AT SIZE		TOP		ВОТТОМ	SACKS	CEMENT	SCREEN	
2/8 IN.	250 FEET	NA FEET NI	2 INCH	MI	2 FEET	NA	FEET	/A	N/A FEET	
	PERFORATION RE	CORD					URE, CEMENT	SQUEEZ	ERECORD	
NUMBER PER FEET	SIZE AND TYPE	DEPTH INTERV	AMOUNT AND KIND OF MATERIAL USED				DEPTH INTERVAL			
2	3/8 DML-45C	ML-HSC 249'-252'			\$250 GAL 15% HC) } \$249'-252}					
2	3/8/2ML-45C	1 MNL- HSC 254'-259' (36AL ESAN 35- 36AL ESA 3-20 SAND) (254'- 259'						259		
	TOUR ITEL		INITIAL P	RODUCTION	N					
DATE OF FIRST PRODUC		PRODUCING METHOD (IN	1	, ,,	LIFT, OR	PUMPING — IF P	UMPING, SHOW	SIZE AND T	TYPE OF PUMP	
DATE OF TEST HOU	SWABBING) RS TESTED CHOKE SIZ	TO BE PRODUCED D  TEST  TEST		GAS PRODU	CED DURI	ALLBRASS	WATER PRODU		NG OIL GRAVITY	
11-24-96	CASING PRESSURE	CAL'TED RATE OF PRODU	bbls.	Est. /	mc7	GAS	WATER	<u>'</u> '	GAS OIL RATIO	
NA	70 285	PER 24 HOURS		24	bbis.	8 MCF	,	privale	oble. 300-1	
DISPOSITION OF GAS IS	TATE WHETHER VENTED.	USED FOR FUEL OR SOLD	)	7						
TO BE VENT METHOD OF DISPOSAL	OF MUD PIT CONTENTS	FOR FUELT					SAS SA		MID YR 1997	
DRILLED WITH	AIR ROTARY - CO	THINGS ONLY I	N PIT-	OUERFIL I.P.	LED	with To	psoil 4	TO BE	RESEEDED .	
PENSE BROS. I	DRIG. CO. INC			NY, AND THAT	I AM AUT	HORIZED BY SA	ID COMPANY TO	MAKE THE	S REPORT AND THAT THIS	
	UNDER MY SUPERVISION		AT THE FACT	S STATED TH	EREIN AR	E TRUE, CORRE	CT AND COMPLE	TE TO THE	BEST OF MY KNOWLEDGE	
DATE	-	SIGNATURE	10	44	PEN	SE BROS	DRLG. (	Co. I	10C.	
11/25/	96	By: B.E. E	SLAN(	CETT A	SS'r.	V. P.			1/25/96	
10 780-0215 (1-86)			The state of the s	7.				,	(Aev 1-86	

## HONSWEER # 14 - PENSE BROS. DRLG. CO., INC. PERMIT # 20626

EL: 960'GY. (TOPO) SURF. CSG: 50'06" CEMEINT-5 SACKS

SPUDDED: 9/10/96 T.D.:- 9/12/96 BEB

0-9 TOPSOIL TO CLAY
9-13 LIMESTONE, SANDY, WHITE TO BUFF
13-27 SHALE SANDY, CALCAREOUS, GREG TO BLUW GREY
27-49 LIMESTONE, BUFF TO TAN, DENSE
49-60 SHALE, CONGLOMERATE, SLIGHT GAL SHOW
60-80 LIMESTONE, DENSE TO BUFF TO TAN
80-90 SHALE + CONGLOMERATE WITH SLIGHT COAL SHOW
90-102 LIMESTONE WITH SLIGHT SHALE STRIATIONS, SANDY
102-240 SHALE GREY TO DARK GREY
240-244 SHALE DARK GREY TO BLACK, SLIGHT GAL SHOW Y WHERCLAY
244-260 SANDSTONE, TAN TO BROWN ROUNDED TO SUBFOUNDED GOOD
POROSITY, FLUORESCENCE, GAS EMANANTION. FREE OIL TO
9:T IN ABUNDANT OU AIXING.
260-268 SANDSTONE TO SILTS TONE SUBFOUNDED TO ANBRUAR,
CALCAREOUS, LESS FORDSITY THAN ABOVE WITH DECREASE.

IN FLUOVESCENCE, CUT, + GAS EMANATION.

\$68-300 SHALE, GREY TO BLUE GREY, CALCAREOUS.

DEC 03 1996

10 Oil & Gas Council

## W. C. LETHCHO

COUNTY ENGINEER & SURVEYOR
Bates County Court House

BUTLER, MO. 64730 Phone 679-4031

11-28-95 WELL REFERENCE TIES IN THE NORTHEAST QUARTER OF SECTION 5, TOWNSHIP 44 NORTH, RANGE 33 WEST OF THE 5TH PRINCIPAL MERIDIAN IN CASS COUNTY MISSOURI.




FOR: PENSE BROTHERS DRILLING CO. INC.

ADRIAN, MO. 64720

816-297-4433

SHEET 1 OF 2

1"=100'
MAG BRGS 8° EAST DECL



REFERENCED IN ACCORDANCE WITH CURRENT MINIMUM STANDARDS. /

WILLIAM C. LETHCHO LS-1539

NORTH WELL LOCATION MAP - CASS COUNTY TAX MAP 16-03 SHEET 2 OF 2 1"=400'± CO ROAD SECTION LINE 5-43-33 ECEIVE NOV 2 6 1996 MO Oil & Gas Council WILLIAM C. LETHCHO LS-1539 10-14-96 HONSINGER 2150'±